

**37th Annual Spring Wildflower Count  
Brown and Monroe Counties, Indiana  
Held in conjunction with the 34th Annual Wildflower Foray  
26–28 April 2019  
Checklist compiled by Kay Yatskievych  
[Kay.Yatskievych@mobot.org]**

Names included in the checklist are ones that have been found in flower (except nonflowering plants) on at least one previous Wildflower Count. Names in bold are native species. Names unbolded and in SMALL CAPS are introduced species. Species with subspecies or varieties have the ones found in Indiana listed but some may not have been found in Brown or Monroe counties. Column 1 (“B-”) are species that have been recorded from Brown County. Column 3 (“M-”) are species that have been recorded from Monroe County. When only a hyphen is in Column 1 or 3, it indicates it has not yet been recorded for that county.

**WILDFLOWERS (includes rushes, herbaceous and woody vines, and shrublets;  
which are small woody species easily mistaken for wildflowers)**

Numbers preceding the scientific names are ones used in the Field Guide to Indiana Wildflowers (FGIW) by Kay Yatskievych (2000), published by Indiana University Press. If the species is monoecious (separate male and female flowers on the same plant) or dioecious (separate male and female flowers on separate plants), that is indicated after the name. The group that the species will be in the Indiana Plant ID PDFs follows that. These are:

Wildfl-0 = petals, corolla lobes, tepals, petal-like sepals none or minute

Wildfl-1lig = petals fused into a flattened structure, with numerous ones in a head (i.e., heads ligulate, Asteraceae family); the number of ligulate flowers follows this in parenthesis

Wildfl-1ray = petals fused into a flattened structure, with numerous ones around the outer part of a head and tubular flowers in the center (i.e., heads radiate, Asteraceae family); the number of ray flowers follows this in parenthesis

Wildfl-2 = corolla bilabiate, or petals, corolla lobes, tepals, petal-like sepals 2

Wildfl-3 = petals, corolla lobes, tepals, petal-like sepals 3

Wildfl-4 = petals, corolla lobes, tepals, petal-like sepals 4

Wildfl-5 = petals, corolla lobes, tepals, petal-like sepals 5

Wildfl-6+ = petals, corolla lobes, tepals, petal-like sepals 6 or more

The primary color of the petals, corolla lobes, tepals, petal-like sepals, ligules, or rays is listed next. If two or more colors are listed with “and” between them, this indicates that the individual flower has two or more colors. If two or more colors are listed separated by a comma, this indicates that there are different color forms of the species. Monoecious (male and female flowers on the same plant) and dioecious plants (male and female flowers on separate plants) are indicated by the symbols: ♂ (male, staminate) and ♀ (female, pistillate). Flowers with tiny petals, corolla lobes, tepals, or petal-like sepals but with showy other parts have the showy parts indicated; for example: FLAG, ONE-VEINED SWEET (1398; *ACORUS CALAMUS*) —Wildfl-0; showy yellow stamens

Design of the Indiana Plant ID PDFs is in an early stage. If you notice any errors in the placement of the species under the Wildfl category, if you find additional flower colors that should be added, or if you have any other comments please let me know (Kay.Yatskievych@mobot.org).

### WILDFLOWERS

B-	0	M-	0	0	<b>Alexanders, Golden (710; <i>Zizia aurea</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	<b>Alumroot, Common (421; <i>Heuchera americana</i> var. <i>americana</i>, var. <i>hirsuticaulis</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Anemone, False Rue (37; <i>Isopyrum biternatum</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Anemone, Rue (38; <i>Thalictrum thalictroides</i>)</b> —Wildfl-6+ (6–9 petal-like sepals); white, pink
B-	0	M-	0	0	<b>Anemone, Wood (35; <i>Anemone quinquefolia</i> var. <i>quinquefolia</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Aniseroot (684; <i>Osmorhiza longistylis</i>)</b> —Monoecious —Wildfl-5; ♂ white, ♀ white
B-	0	M-	0	0	<b>Arbutus, Trailing (381; <i>Epigaea repens</i>)</b> —Wildfl-5; white, pink
B-	0	M-	0	0	<b>Avens, Cream-colored (453; <i>Geum virginianum</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Avens, Spring (454; <i>Geum vernum</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	<b>Avens, White (451; <i>Geum canadense</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Baneberry, White (48; <i>Actaea pachypoda</i>)</b> —Wildfl-6+ (4–10 small petals; showy stamens); white
B-	0	M-	0	0	<b>Bedstraw, Shining (1048; <i>Galium concinnum</i>)</b> —Wildfl-4; white
B-	0	M-	0	0	<b>Bellwort, Large-flowered (1474; <i>Uvularia grandiflora</i>)</b> —Wildfl-6+ (6 tepals); yellow
-	0	M-	0	0	<b>Bellwort, Sessile-leaved (1476; <i>Uvularia sessilifolia</i>)</b> —Wildfl-6+ (6 tepals); yellow —Added 2014 by Steve Dunbar, from woods near Monroe Lake dam
B-	0	M-	0	0	<b>Betony, Wood (999; <i>Pedicularis canadensis</i> subsp. <i>canadensis</i>)</b> —Wildfl-2 (bilabiate); yellow
-	0	M-	0	0	<b>Bishop's-cap (425; <i>Mitella diphylla</i>)</b> —Wildfl-5; white
B-	0	-	0	0	<b>Bloodroot (62; <i>Sanguinaria canadensis</i>)</b> —Wildfl-6+ (8–16 petals); white
B-	0	M-	0	0	<b>Bluebells, Virginia (824; <i>Mertensia virginica</i>)</b> —Wildfl-5; blue, white, pink
B-	0	-	0	0	<b>Blue-eyed Grass, Stout (1513; <i>Sisyrinchium angustifolium</i>)</b> —Wildfl-6+ (6 tepals); blue, light purple, white

B-	0	M-	0	0	<b>Blue-eyed Mary (997; <i>Collinsia verna</i>)</b> —Wildfl-4, Wildfl-5; blue and white
B-	0	M-	0	0	<b>Bluets, Long-leaved (1055; <i>Houstonia longifolia</i>)</b> —Wildfl-4; white, light purple
B-	0	M-	0	0	BLUETS, RED-EYED (1060; <i>HOUSTONIA PUSILLA</i> ) —Wildfl-4; blue, light purple
B-	0	-	0	0	<b>Bluets, Yellow-eyed (1059; <i>Houstonia caerulea</i>)</b> —Wildfl-4; blue
B-	0	M-	0	0	BUCKHORN (930; <i>PLANTAGO LANCEOLATA</i> ) —Wildfl-0; showy yellowish stamens —Added 2012 by Kriste Lindberg, Hike #13, Griffy Lake
B-	0	M-	0	0	BUGLE, CARPET (923; <i>AJUGA REPTANS</i> ) —Wildfl-2 (bilabiate); purple, pink, white
B-	0	-	0	0	BUTTERCUP, CREEPING (14; <i>RANUNCULUS REPENS</i> ) —Wildfl-5; yellow —Added 2018 by Jill Vance, Hike #21, Middlefork Valley
B-	0	M-	0	0	<b>Buttercup, Hooked (20; <i>Ranunculus recurvatus</i> var. <i>recurvatus</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	<b>Buttercup, Kidney-leaved (23; <i>Ranunculus abortivus</i>)</b> —Wildfl-5; yellow
-	0	M-	0	0	<b>Buttercup, Rock (24; <i>Ranunculus micranthus</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	<b>Buttercup, Rough and Swamp Buttercup (13; <i>Ranunculus hispidus</i> var. <i>caricetorum</i>, var. <i>hispidus</i>, var. <i>nitidus</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	BUTTERCUP, SARDINIA (17; <i>RANUNCULUS SARDOUS</i> ) —Wildfl-5; yellow
B-	0	-	0	0	BUTTERCUP, TALL (15; <i>RANUNCULUS ACRIS</i> ) —Wildfl-5; yellow
B-	0	M-	0	0	<b>Butterweed (1221; <i>Packera glabella</i>)</b> —Wildfl-1ray; yellow
B-	0	M-	0	0	CAMPION, EVENING (138; <i>SILENE LATIFOLIA</i> ) —Dioecious —Wildfl-5; ♂ white, ♀ white
-	0	M-	0	0	<b>Carrion-flower, Smooth (1503; <i>Smilax herbacea</i>)</b> —Wildfl-6+ (6 tepals); green, greenish yellow —Added 2017 by Tom Swinford, Hike #22, Sweedy Hollow
B-	0	M-	0	0	<b>Catchfly, Starry (143; <i>Silene stellata</i>)</b> —Wildfl-5; white
-	0	M-	0	0	CELANDINE, LESSER (NOT IN FGIW; <i>FICARIA VERNA</i> ( <i>RANUNCULUS FICARIA</i> SUBSP. <i>BULBIFER</i> ) —Wildfl-5; yellow
B-	0	M-	0	0	<b>Chervil, Wild (691; <i>Chaerophyllum procumbens</i> var. <i>procumbens</i>, var. <i>shortii</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	CHICKWEED, CLAMMY (161; <i>CERASTIUM GLOMERATUM</i> ) —Wildfl-5; white
B-	0	M-	0	0	CHICKWEED, COMMON (158; <i>STELLARIA MEDIA</i> VAR. <i>MEDIA</i> ) —Wildfl-5; white

B-	0	M-	0	0	CHICKWEED, COMMON MOUSE-EARED (160; <i>CERASTIUM FONTANUM</i> SUBSP. <i>VULGARE</i> ) —Wildfl-5; white
-	0	M-	0	0	CHICKWEED, JAGGED (165; <i>HOLOSTEUM UMBELLATUM</i> SUBSP. <i>UMBELLATUM</i> ) —Wildfl-5; white
B-	0	M-	0	0	<b>Chickweed, Nodding (162; <i>Cerastium nutans</i> var. <i>nutans</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Chickweed, Small Field (164; <i>Cerastium arvense</i> subsp. <i>strictum</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	CHICKWEED, SMALL MOUSE-EARED (159; <i>CERASTIUM SEMIDECANDRUM</i> ) —Wildfl-5; white
B-	0	M-	0	0	<b>Chickweed, Star (153; <i>Stellaria puber</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Cinquefoil, Oldfield (441; <i>Potentilla simplex</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	<b>Cleavers (1046; <i>Galium aparine</i>)</b> —Wildfl-4; white
B-	0	-	0	0	CLOVER, ALSIKE (506; <i>TRIFOLIUM HYBRIDUM</i> ) —Wildfl-5; white, pink
B-	0	-	0	0	CLOVER, LITTLE HOP (510; <i>TRIFOLIUM DUBIUM</i> ) —Wildfl-5; yellow —Added 2012 by Kay Yatskievych, from T. C. Steele SHS
B-	0	-	0	0	CLOVER, PINNATE HOP (509; <i>TRIFOLIUM CAMPESTRE</i> ) —Wildfl-5; yellow
B-	0	M-	0	0	CLOVER, RED (507; <i>TRIFOLIUM PRATENSE</i> ) —Wildfl-5; pink
B-	0	-	0	0	CLOVER, YELLOW SWEET (513; <i>MELILOTUS OFFICINALIS</i> ) —Wildfl-5; yellow
B-	0	M-	0	0	CLOVER, WHITE (505; <i>TRIFOLIUM REPENS</i> ) —Wildfl-5; white, pink
B-	0	M-	0	0	<b>Cohosh, Blue (59; <i>Caulophyllum thalictroides</i>)</b> —Wildfl-6+ (6 petal-like sepals); yellow
B-	0	M-	0	0	<b>Columbine, Wild (57; <i>Aquilegia canadensis</i>)</b> —Wildfl-5; red-orange, pinkish red
B-	0	M-	0	0	<b>Comfrey, Wild (828; <i>Cynoglossum virginianum</i> var. <i>boreale</i>, var. <i>virginianum</i>)</b> —Wildfl-5; blue
B-	0	M-	0	0	<b>Coralroot, Spring (1525; <i>Corallorhiza wisteriana</i>)</b> —Wildfl-4; 1 white with reddish purple spots, + 3 yellowish brown sepals
B-	0	M-	0	0	CORN-SALAD, BEAKED (1070; <i>VALERIANELLA RADIATA</i> ) —Wildfl-5; white —Added 2016 by Steve Dunbar and Kay Yatskievych, from Cedar Bluff
B-	0	-	0	0	<b>Corn-salad, Navel-fruited (1071; <i>Valerianella umbilicata</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Corydalis, Short-spurred (68; <i>Corydalis flavula</i>)</b> —Wildfl-4 (2 outer and 2 inner); yellow

B-	0	M-	0	0	<b>Crane's-bill, Carolina (661; <i>Geranium carolinianum</i>)</b> —Wildfl-5; light pink, white
B-	0	-	0	0	CRANE'S-BILL, LONG-STALKED (663; <i>GERANIUM COLUMBINUM</i> ) —Wildfl-5; pink
B-	0	-	0	0	CRANE'S-BILL, SMALL-FLOWERED (665; <i>GERANIUM PUSILLUM</i> ) —Wildfl-5; pink —Added 2012 by Kay Yatskievych from T. C. Steele SHS
B-	0	M-	0	0	CRESS, BITTER WINTER (328; <i>BARBAREA VULGARIS</i> ) —Wildfl-4; yellow
B-	0	M-	0	0	CRESS, CREEPING YELLOW (327; <i>RORIPPA SYLVESTRIS</i> ) —Wildfl-4; yellow —Added 2012 by Cathy Meyer, from road trip
B-	0	M-	0	0	CRESS, FIELD PENNY (306; <i>THLASPI ARVENSE</i> ) —Wildfl-4; white
B-	0	M-	0	0	CRESS, HAIRY BITTER (366; <i>CARDAMINE HIRSUTA</i> ) —Wildfl-4; white
B-	0	M-	0	0	CRESS, MOUSE-EARED (369; <i>ARABIDOPSIS THALIANA</i> ) —Wildfl-4; white
B-	0	M-	0	0	<b>Cress, Pennsylvania Bitter (364; <i>Cardamine pensylvanica</i>)</b> —Wildfl-4; white
B-	0	M-	0	0	CRESS, PERFOLIATE PENNY (304; <i>MICROTHLASPI PERFOLIATUM</i> ) —Wildfl-4; white
B-	0	M-	0	0	<b>Cress, Purple Spring (362; <i>Cardamine douglassii</i>)</b> —Wildfl-4; white tinged with pink, pink
-	0	M-	0	0	CRESS, ROADSIDE PENNY (not in FGIW; <i>THLASPI ALLIACEUM</i> ) —Wildfl-4; white
B-	0	M-	0	0	<b>Cress, Small-flowered Bitter (365; <i>Cardamine parviflora</i>)</b> —Wildfl-4; white
B-	0	M-	0	0	<b>Cress, Smooth Rock (373; <i>Boechera laevigata</i>)</b> [ <i>Arabis laevigata</i> ] —Wildfl-4; white
B-	0	-	0	0	CRESS, WAVY-STEMMED BITTER (367; <i>CARDAMINE FLEXUOSA</i> ) —Wildfl-4; white —Added 2013 by Jill Vance, from Zimmerman Wetlands
B-	0	M-	0	0	<b>Cress, White Spring (363; <i>Cardamine bulbosa</i>)</b> —Wildfl-4; white
B-	0	M-	0	0	<b>Cucumber-root, Indian (1490; <i>Medeola virginiana</i>)</b> —Wildfl-6+ (6 tepals); green, yellowish green —Added 2012 by Dan Shaffer, Hike #19, Belmont Girl Scout Camp
B-	0	M-	0	0	<b>Cynthia, Two-flowered (1314; <i>Krigia biflora</i>)</b> —Wildfl-1lig (25–60); orange, yellow
B-	0	M-	0	0	DAISY, OX-EYE (1307; <i>LEUCANTHEMUM VULGARE</i> ) —Wildfl-1ray (13–34); white
B-	0	M-	0	0	DANDELION, COMMON (1309; <i>TARAXACUM OFFICINALE</i> ) —Wildfl-1lig (40–100); yellow

-	0	M-	0	0	<b>Dandelion, Potato (1317; <i>Krigia dandelion</i>)</b> —Wildfl-1lig (25–34); yellow —Added 2014 by Jeff and Sandy Belth, and Jill Vance, from Allen’s Creek
B-	0	-	0	0	DANDELION, RED-SEEDED (1310; <i>TARAXACUM ERYTHROSPERMUM</i> ) —Wildfl-1lig (70–75); yellow
B-	0	M-	0	0	DEAD NETTLE, PURPLE (894; <i>LAMIUM PURPUREUM</i> VAR. <i>PURPUREUM</i> ) —Wildfl-2 (bilabiate); lavender, light purple, pink
B-	0	M-	0	0	<b>Dewberry, Northern (433; <i>Rubus flagellaris</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	DOCK, CURLY (183; <i>RUMEX CRISPUS</i> SUBSP. <i>CRISPUS</i> ) —Wildfl-6+ (6 tepals); greenish
-	0	M-	0	0	<b>Dock, Pale (184; <i>Rumex altissimus</i>)</b> —Wildfl-6+ (6 tepals); greenish
-	0	M-	0	0	<b>Dock, Swamp (181; <i>Rumex verticillatus</i>)</b> —Wildfl-6+ (6 tepals); greenish
B-	0	M-	0	0	<b>Dutchman’s-breeches (71; <i>Dicentra cucullaria</i>)</b> —Wildfl-4 (2 outer and 2 inner); white
B-	0	-	0	0	FLAG, ONE-VEINED SWEET (1398; <i>ACORUS CALAMUS</i> ) —Wildfl-0; showy yellow stamens
-	0	M-	0	0	<b>Flag, Virginia Blue (1517; <i>Iris virginica</i>)</b> —Wildfl-6+ (3 petals and 3 petal-like sepals); purple, light purple —Added 2012 by Cathy Meyer, from road trip
B-	0	M-	0	0	<b>Fleabane, Daisy (1272; <i>Erigeron annuus</i>)</b> —Wildfl-1ray (80–125); white
B-	0	M-	0	0	<b>Fleabane, Philadelphia (1271; <i>Erigeron philadelphicus</i> var. <i>philadelphicus</i>)</b> —Wildfl-1ray (150–250); white, pink
B-	0	M-	0	0	<b>Forget-me-not, White (831; <i>Myosotis verna</i>)</b> —Wildfl-5; white
B-	0	-	0	0	FORGET-ME-NOT, YELLOW-AND-BLUE (NOT IN FGIW; <i>MYOSOTIS DISCOLOR</i> ) —Wildfl-5; yellow and blue —Added 2012 by Kay Yatskievych, from T. C. Steele SHS {also a state record}
B-	0	-	0	0	FORGET-ME-NOT, SMALL-FLOWERED (833; <i>MYOSOTIS STRICTA</i> ) —Wildfl-5; blue —Added 2015 by Jill Vance and Kay Yatskievych, from Brown County State Park, Trail 3
B-	0	M-	0	0	<b>Gentian, Early Horse (1064; <i>Triosteum aurantiacum</i> var. <i>aurantiacum</i>, var. <i>glaucescens</i>, var. <i>illinoense</i>)</b> —Wildfl-5; orange
B-	0	M-	0	0	<b>Geranium, Wild (660; <i>Geranium maculatum</i>)</b> —Wildfl-5; lavender, pink, light purple, white
B-	0	M-	0	0	GILL-OVER-THE-GROUND (922; <i>GLECHOMA HEDERACEA</i> ) —Wildfl-2 (bilabiate); light purple, lavender
B-	0	M-	0	0	<b>Ginger, Wild (2; <i>Asarum canadense</i>)</b> —Wildfl-3; dark reddish purple

B-	0	M-	0	0	<b>Goldenseal (44; <i>Hydrastis canadensis</i>)</b> —Wildfl-0; showy white stamens
B-	0	M-	0	0	<b>Greenbrier, Round-leaved (1508; <i>Smilax rotundifolia</i>)</b> —Wildfl-6+ (6 tepals); green, greenish yellow
B-	0	M-	0	0	<b>Green-dragon (1400; <i>Arisaema dracontium</i>)</b> —Wildfl-0; showy yellow stamens
B-	0	M-	0	0	<b>Gromwell, American (835; <i>Lithospermum latifolium</i>)</b> —Wildfl-5; light yellow
B-	0	M-	0	0	GROMWELL, CORN (834; <i>BUGLOSSOIDES ARVENSIS</i> )—Wildfl-5; white
B-	0	-	0	0	GROUNDSEL, COMMON (1228; <i>SENECIO VULGARIS</i> )—Wildfl-0 (numerous tiny disc flowers in a small compact head); yellow
B-	0	M-	0	0	<b>Gyandotte-beauty (872; <i>Synandra hispidula</i>)</b> —Wildfl-2 (bilabiate); white, pale pink
B-	0	M-	0	0	<b>Harbinger-of-spring (682; <i>Erigenia bulbosa</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	HENBIT (893; <i>LAMIUM AMPLEXICAULE</i> )—Wildfl-2 (bilabiate); deep pink, reddish purple, deep pink and white, white
B-	0	M-	0	0	<b>Hepatica, Sharp-lobed (30; <i>Anemone acutiloba</i>)</b> —Wildfl-6+ (5–9 petal-like sepals); white, pale pink, lavender, light purple
B-	0	-	0	0	<b>Herb-Robert (667; <i>Geranium robertianum</i>)</b> —Wildfl-5; pink, dark pink —Note: listed as Threatened on Indiana’s ETR list, 2/12/2016, but the Brown County records is a garden escape
B-	0	-	0	0	HONEYSUCKLE, JAPANESE (NOT IN FGIW; <i>LONICERA JAPONICA</i> )—Wildfl-2 (bilabiate); white, yellow (often both colors on a plant)
B-	0	-	0	0	HONEYSUCKLE, TRUMPET (not in FGIW; <i>LONICERA SEMPERVIRENS</i> )—Wildfl-5; red —Added 2012 by Chuck Hagen, from north of Yellowwood Lake
B-	0	-	0	0	<b>Houstonia, Large (1057; <i>Houstonia purpurea</i> var. <i>calycosa</i>, var. <i>purpurea</i>)</b> —Wildfl-4; white, pale lavender
B-	1	M-	0	0	HYACINTH, COMMON GRAPE (1465; <i>MUSCARI BOTRYOIDES</i> )—Wildfl-6+ (6 tiny lobes on urn-shaped corolla); purple
-	0	M-	0	0	<b>Hyacinth, Early-blooming Wild (1468; <i>Camassia scilloides</i>)</b> —Wildfl-6+ (6 tepals); white, light purple, purple
B-	0	M-	0	0	<b>Iris, Dwarf Crested (1521; <i>Iris cristata</i>)</b> —Wildfl-6+ (3 petals and 3 petal-like sepals); light purple, purple
B-	0	M-	0	0	<b>Jack-in-the-pulpit (1401; <i>Arisaema triphyllum</i>)</b> —Monoecious —Wildfl-0; showy yellow stamens
B-	0	M-	0	0	<b>Jacob’s-ladder, Spreading (813 <i>Polemonium reptans</i> var. <i>reptans</i>)</b> —Wildfl-5; light purple, purple

B-	0	M-	0	0	<b>Lady's-slipper, Yellow (1562; <i>Cypripedium parviflorum</i> var. <i>makasin</i>, var. <i>pubescens</i>)</b> —Wildfl-6+ (Lip, 6 large petals and petal-like sepals); lip yellow, petals and petal-like sepals reddish purple to purplish brown
B-	0	M-	0	0	<b>Larkspur, Dwarf (54; <i>Delphinium tricorne</i>)</b> —Wildfl-5 (4 tiny petals inside the spur of 5 larger petal-like sepal-lobes); purple, white
B-	0	-	0	0	<b>Licorice, Wild (1038; <i>Galium circaezans</i>)</b> —Wildfl-4; white
B-	0	-	0	0	<b>Lily, Mottle-leaved White Trout (1442; <i>Erythronium albidum</i>)</b> —Wildfl-6+ (6 tepals); white
B-	0	M-	0	0	<b>Lily, Yellow Trout (1441; <i>Erythronium americanum</i> var. <i>americanum</i>)</b> —Wildfl-6+ (6 tepals); yellow
B-	0	M-	0	0	<b>Marigold, Marsh (29; <i>Caltha palustris</i>)</b> —Wildfl-5 (5 petals, sometimes a few 6); yellow
B-	0	M-	0	0	<b>May Apple (60; <i>Podophyllum peltatum</i>)</b> —Wildfl-6+ (6–9 petals); white
B	0	M-	0	0	MAZUS, JAPANESE (NOT IN FGIW; <i>MAZUS PUMILUS</i> ) —Wildfl-2 (bilabiate); light purple and purple, white and light purple —Added 2016 by Bob Barber and Kay Yaskievych, from Allen's Creek Boat Ramp
B-	0	M-	0	0	<b>Mermaid, False (669; <i>Floerkea proserpinacoides</i>)</b> —Wildfl-3; white
B-	0	M-	0	0	<b>Miami-mist (821; <i>Phacelia purshii</i>)</b> —Wildfl-5 (fringed); blue —Added 2012 by Cathy Meyer, Hike #1, Selma Steele N. P.
B-	0	M-	0	0	<b>Milkweed, Four-leaved (753; <i>Asclepias quadrifolia</i>)</b> —Wildfl-5; white, pink
B-	0	M-	0	0	MUSTARD, BLACK (346; <i>BRASSICA NIGRA</i> ) —Wildfl-4; yellow
B-	0	M-	0	0	MUSTARD, COMMON HEDGE (334; <i>SISYMBRIUM OFFICINALE</i> ) —Wildfl-4; yellow
B-	0	M-	0	0	MUSTARD, GARLIC (356; <i>ALLIARIA PETIOLATA</i> ) —Wildfl-4; white
B-	0	M-	0	0	MYRTLE, GRAVEYARD (738; <i>VINCA MINOR</i> ) —Wildfl-5; purple, white
B-	0	M-	0	0	<b>Orchis, Showy (1559; <i>Galearis spectabilis</i>)</b> —Wildfl-2 (Lip, hood composed of petals and sepals); lip white, sometimes pink, hood pinkish purple
B-	0	M-	0	0	<b>Pansy, American Field (289; <i>Viola bicolor</i>)</b> —Wildfl-5; light purple, white
-	0	M-	0	0	<b>Parsnip, Yellow Meadow (712; <i>Thaspium trifoliatum</i> var. <i>flavum</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	<b>Pennywort (727; <i>Obolaria virginica</i>)</b> —Wildfl-4; white, light purple



B-	0	M-	0	0	<b>Pepper Grass, Common (307; <i>Lepidium virginicum</i> subsp. <i>virginicum</i>)</b> —Wildfl-4; white
B-	0	M-	0	0	PEPPER GRASS, FIELD (309; <i>LEPIDIUM CAMPESTRE</i> ) {Cow Cress} —Wildfl-4; white
B-	0	M-	0	0	<b>Phacelia, Loose-flowered (819; <i>Phacelia bipinnatifida</i>)</b> —Wildfl-5; light purple
B-	0	M-	0	0	<b>Phlox, Blue (804; <i>Phlox divaricata</i> subsp. <i>divaricata</i>, subsp. <i>laphamii</i>)</b> —Wildfl-5; light purple
B-	0	M-	0	0	<b>Phlox, Cleft (801; <i>Phlox bifida</i> subsp. <i>bifida</i>, subsp. <i>stellaria</i>)</b> —Wildfl-5; light purple, white
B-	0	M-	0	0	PINEAPPLE-WEED (1265; <i>MATRICARIA DISCOIDEA</i> ) —Wildfl-0 (minute disc flowers in a small compact head); yellow
B-	0	M-	0	0	<b>Pink, Fire (136; <i>Silene virginica</i>)</b> —Wildfl-5; Red
B-	0	-	0	0	PLANTAIN, COMMON (927; <i>PLANTAGO MAJOR</i> ) —Wildfl-4; whitish —Added 2012 by Cathy Meyer, from Hike #14, T. C. Steele Art Trek
B-	0	-	0	0	<b>Plantain, Dwarf (934; <i>Plantago virginica</i>)</b> —Wildfl-4; tiny whitish with somewhat showy white stamens
B-	0	M-	0	0	<b>Pogonia, Large Whorled (1564; <i>Isotria verticillata</i>)</b> —Wildfl-6+ (Lip with 2 smaller lateral lobes, 3 petal-like sepals); lip white, lateral lobes purplish, sepals dark purple
B-	0	M-	0	0	<b>Poppy, Wood (66; <i>Stylophorum diphyllum</i>)</b> —Wildfl-4; yellow
-	0	M-	0	0	<b>Puccoon, Hoary (837; <i>Lithospermum canescens</i>)</b> —Wildfl-4; yellow
B-	0	M-	0	0	<b>Pussytoes, Flagged Narrow-leaved (1155; <i>Antennaria neglecta</i>)</b> —Dioecious —Wildfl-5 (minute disc flowers in a dense head); ♂ white, ♀ white
B-	0	M-	0	0	<b>Pussytoes, Large Plantain-leaved (1153; <i>Antennaria parlinii</i> subsp. <i>fallax</i>)</b> —Dioecious —Wildfl-5 (minute disc flowers in a dense head); ♂ white, ♀ white —Added 2011 by Kay Yatskievych, from T. C. Steele SHS (not noted whether staminate or pistillate)
B-	0	M-	0	0	<b>Pussytoes, Single-headed (1157; <i>Antennaria solitaria</i>)</b> —Dioecious —Wildfl-5 (minute disc flowers in a dense head); ♂ white, ♀ white
B-	0	M-	0	0	<b>Pussytoes, Small Plantain-leaved (1154; <i>Antennaria plantaginifolia</i>)</b> —Dioecious —Wildfl-5 (minute disc flowers in a dense head); ♂ white, ♀ white
-	0	M-	0	0	<b>Puttyroot (1529; <i>Aplectrum hyemale</i>)</b> —Wildfl-6+ (lip, 2 petals, 3 petal-like sepals); lip white; petals and petal-like sepals greenish purple —Added 2017 by Cheryl Coon and Teena Ligman, Hike #16, Deam Wilderness

B-	0	-	0	0	QUEEN-ANNE'S-LACE (696; <i>DAUCUS CAROTA</i> SUBSP. <i>CAROTA</i> ) —Wildfl-5; white, pink —Added 2012 by Kay Yatskievych, from T. C. Steele SHS
B-	0	M-	0	0	<b>Ragwort, Heart-leaved Golden (1222; <i>Packera aurea</i>)</b> —Wildfl-1ray (12–20); yellow
B-	0	M-	0	0	<b>Ragwort, Round-leaved Golden (1224; <i>Packera obovata</i>)</b> —Wildfl-1ray (12–20); yellow
-	0	M-	0	0	RAPE (345; <i>BRASSICA NAPUS</i> ) —Wildfl-4; yellow
B-	0	M-	0	0	ROCKET, DAME'S (354; <i>HESPERIS MATRONALIS</i> ) —Wildfl-4; light purple, lavender, pink, white
B-	0	M-	0	0	<b>Rue, Early Meadow (42; <i>Thalictrum dioicum</i>)</b> —Wildfl-4 (4 dull white bracts); showy yellow stamens
B-	0	M-	0	0	<b>Rush, Hedgehog Wood (not in FGIW; <i>Luzula echinata</i>)</b> —Wildfl-6+ (3 petals, 3 petal-like sepals); green, tan
B-	0	M-	0	0	SANDWORT, THYME-LEAVED (173; <i>ARENARIA SERPYLLIFOLIA</i> VAR. <i>SERPYLLIFOLIA</i> ) —Wildfl-5; white
B-	0	-	0	0	<b>Selfheal (873; <i>Prunella vulgaris</i> var. <i>lanceolata</i>, VAR. <i>VULGARIS</i>)</b> —Wildfl-2 (bilabiate); light violet, pink, white
B-	0	M-	0	0	SHEPHERD'S-PURSE (303; <i>CAPSELLA BURSA-PASTORIS</i> ) —Wildfl-4; white
B-	0	M-	0	0	<b>Shootingstar, Eastern (395; <i>Primula meadia</i>)</b> —Wildfl-5; white, lavender, deep pink
B-	0	-	0	0	<b>Skullcap, Hairy (869; <i>Scutellaria elliptica</i> var. <i>hirsuta</i>)</b> —Wildfl-2 (bilabiate); light and dark purple, white and light purple
B-	0	-	0	0	<b>Skullcap, Veiny (864; <i>Scutellaria nervosa</i>)</b> —Wildfl-2 (bilabiate); white, light purple
B-	0	M-	0	0	<b>Snakeroot, Clustered Black (715; <i>Sanicula odorata</i>)</b> —Wildfl-5 (5 small petals, showy yellow stamens); yellow, greenish yellow
-	0	M-	0	0	<b>Snakeroot, Virginia (3; <i>Endotheca serpentaria</i>; synonym <i>Aristolochia serpentaria</i>)</b> —Wildfl-3 (calyx an irregular S shape with 3 unequal lobes); dull purple, reddish purple —Added 2017 by Tom Swinford, Hike #22, Sweedy Hollow
B-	0	M-	0	0	<b>Solomon's-plume, Feathery (1480; <i>Maianthemum racemosum</i> subsp. <i>racemosum</i>)</b> —Wildfl-6+ (6 tepals); white
B-	0	M-	0	0	<b>Solomon's-seal, Hairy (1478; <i>Polygonatum pubescens</i>)</b> —Wildfl-6+ (6-lobed fused tepals); light yellowish green
B-	0	M-	0	0	<b>Solomon's-seal, Smooth (1477; <i>Polygonatum biflorum</i>)</b> —Wildfl-6+ (6-lobed fused tepals); greenish white, yellowish green

B-	0	M-	0	0	<b>Sorrel, Big Yellow Wood (657; <i>Oxalis grandis</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	SORREL, COMMON YELLOW WOOD (654; <i>OXALIS STRICTA</i> ) —Wildfl-5; yellow
B-	0	-	0	0	SORREL, FIELD (189; <i>RUMEX ACETOSELLA</i> ) —Dioecious —Wildfl-6+ (6 tepals); ♂ green, reddish, ♀ green, reddish
B-	0	M-	0	0	<b>Sorrel, Violet Wood (659; <i>Oxalis violacea</i>)</b> —Wildfl-5; light purple, pink
B-	0	-	0	0	<b>Spatterdock, Yellow (6; <i>Nuphar advena</i> subsp. <i>advena</i>)</b> —Wildfl-5 (sepals, petals tiny); yellow —Added 2014 by Cathy Meyer, from Lake Lemon
-	0	M-	0	0	SPEEDWELL, BIRD'S-EYE (941; <i>VERONICA PERSICA</i> ) —Added 2018 by Cathy Meyer, from near Monroe County Parks and Recreation building
B-	0	-	0	0	SPEEDWELL, COMMON (943; <i>VERONICA OFFICINALIS</i> VAR. <i>OFFICINALIS</i> ) —Wildfl-4; light blue
B-	0	M-	0	0	SPEEDWELL, CORN (938; <i>VERONICA ARVENSIS</i> ) —Wildfl-4; blue, light purple
B-	0	-	0	0	SPEEDWELL, GARDEN (not in FGIW; <i>VERONICA LONGIFOLIA</i> ) —Wildfl-4; purple, light purple, lavender, white
B-	0	-	0	0	SPEEDWELL, IVY-LEAVED (940; <i>VERONICA HEDERIFOLIA</i> ) —Wildfl-4; blue, light purple —Added 2015 by Kay Yatskievych, from Brown County State Park, near North entrance
B-	0	M-	0	0	<b>Speedwell, Purslane (936; <i>Veronica peregrina</i>)</b> —Wildfl-4; white
B-	0	M-	0	0	SPEEDWELL, THYME-LEAVED (937; <i>VERONICA SERPYLLIFOLIA</i> SUBSP. <i>SERPYLLIFOLIA</i> ) —Wildfl-4; white and purple, light purple and purple
B-	0	M-	0	0	SPEEDWELL, WAYSIDE (942; <i>VERONICA POLITA</i> ) —Wildfl-4; blue
B-	0	M-	0	0	<b>Spiderwort, Virginia (1425; <i>Tradescantia virginiana</i>)</b> —Wildfl-3; light purple
B-	0	M-	0	0	<b>Spring-beauty, Virginia (129; <i>Claytonia virginica</i>)</b> —Wildfl-5; white, light pink
-	0	M-	0	0	SPURGE, CYPRESS (626; <i>EUPHORBIA CYPARISSIAS</i> ; <i>E. VIRGATA</i> MISDET.) —Wildfl-0; several flowers in a head subtended by bright yellow bracts —Added 2014 by Steve Dunbar, from Ketchum Rd.
B-	0	M-	0	0	<b>Squawroot (1001; <i>Conopholis americana</i>)</b> —Wildfl-2 (bilabiate); white, pale yellow
B-	0	M-	0	0	<b>Squirrel Corn (72; <i>Dicentra canadensis</i>)</b> —Wildfl-4 (2 outer and 2 inner); white

B-	0	M-	0	0	STAR-OF-BETHLEHEM, COMMON (1445; <i>ORNITHOGALUM UMBELLATUM</i> ) —Wildfl-6+ (6 tepals); white
B-	0	M-	0	0	<b>Stitchwort, Long-leaved (157; <i>Stellaria longifolia</i> var. <i>longifolia</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Stonecrop, Wild (414; <i>Sedum ternatum</i>)</b> —Wildfl-4; white
B-	0	M-	0	0	STRAWBERRY, MOCK (440; <i>DUCHESNEA INDICA</i> VAR. <i>INDICA</i> ) —Wildfl-5; yellow
B-	0	M-	0	0	<b>Strawberry, Thick-leaved Wild (437; <i>Fragaria virginiana</i> subsp. <i>grayana</i>, subsp. <i>virginiana</i>)</b> —Wildfl-5; white
-	0	M-	0	0	<b>Strawberry-bush, Running (609; <i>Euonymus obovatus</i>)</b> —Wildfl-5; light yellow
B-	0	M-	0	0	<b>Sweet Cicily (685; <i>Osmorhiza claytonii</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Toadflax, Bastard (607; <i>Comandra umbellata</i> subsp. <i>umbellata</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Toothwort, Cut-leaved (358; <i>Cardamine concatenata</i>)</b> [syn.: <i>Dentaria laciniata</i> ] —Wildfl-5; white, pink
B-	0	M-	0	0	<b>Toothwort, Slender (359; <i>Cardamine angustata</i>)</b> —Wildfl-5; white
B-	0	-	0	0	<b>Toothwort, Two-leaved (360; <i>Cardamine diphylla</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Trillium, Drooping (1486; <i>Trillium flexipes</i>)</b> —Wildfl-3, white
B-	0	-	0	0	<b>Trillium, Large-flowered (1485; <i>Trillium grandiflorum</i>)</b> —Wildfl-3, white, pink
B-	0	M-	0	0	<b>Trillium, Prairie (1483; <i>Trillium recurvatum</i>)</b> —Wildfl-3, reddish purple, greenish yellow
B-	0	M-	0	0	<b>Trillium, Sessile (1484; <i>Trillium sessile</i>)</b> —Wildfl-3, reddish purple, greenish yellow
-	0	M-	0	0	TURNIP (344 <i>BRASSICA RAPA</i> ) —Wildfl-4, yellow —Added 2012 by Kay Yatskievych, roadside along 10th St., Bloomington
B-	0	-	0	0	<b>Twayblade, Purple (1531; <i>Liparis liliifolia</i>)</b> —Wildfl-3 (lip. 2 petals); lip light grayish purple, petals dark reddish purple —Added 2012 by Cathy Meyer, Hike #1, Selma Steele N. P.
-	0	M-	0	0	<b>Twinleaf (61; <i>Jeffersonia diphylla</i>)</b> —Wildfl-6+ (8 petals); white
B-	0	M-	0	0	<b>Valerian, Large-flowered (1066; <i>Valeriana pauciflora</i>)</b> —Wildfl-5; pale pink
B-	0	M-	0	0	VERVAIN, ROSE (852; <i>GLANDULARIA CANADENSIS</i> ) —Wildfl-5; pink, lavender, light purple
B-	0	-	0	0	<b>Violet, Arrow-leaved (274; <i>Viola sagittata</i> var. <i>ovata</i>, var. <i>sagittata</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Violet, Canada (284; <i>Viola canadensis</i> var. <i>canadensis</i>)</b> —Wildfl-5; white

B-	0	M-	0	0	<b>Violet, Common Blue (277; <i>Viola sororia</i>)</b> —Wildfl-5; purple, light purple, white, white with purple at base, purple with white stripes, white with purple stripes or dots, pink
B-	0	M-	0	0	<b>Violet, Green (292; <i>Cubelium concolor</i>)</b> —Wildfl-5; light yellowish green
B-	0	-	0	0	<b>Violet, Long-spurred (287; <i>Viola rostrata</i>)</b> —Wildfl-5; light purple
B-	0	-	0	0	<b>Violet, Marsh Blue (278; <i>Viola cucullata</i>)</b> —Wildfl-5; light purple
B-	0	M-	0	0	<b>Violet, Striped White (285; <i>Viola striata</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Violet, Sweet White (282; <i>Viola blanda</i>)</b> —Wildfl-5; white
B-	0	M-	0	0	<b>Violet, Three-lobed (273; <i>Viola palmata</i>)</b> —Wildfl-5; purple
B-	0	M-	0	0	<b>Violet, Yellow (286; <i>Viola pubescens</i> var. <i>pubescens</i>, var. <i>scabriuscula</i>)</b> —Wildfl-5; yellow
B-	0	M-	0	0	<b>Waterleaf, Appendaged (815; <i>Hydrophyllum appendiculatum</i>)</b> —Wildfl-5; light purple
B-	0	M-	0	0	<b>Waterleaf, Large-leaved (817; <i>Hydrophyllum macrophyllum</i>)</b> —Wildfl-5; white
B-	0	-	0	0	<b>Waterleaf, Virginia (818; <i>Hydrophyllum virginianum</i> var. <i>virginianum</i>)</b> —Wildfl-5; light purple
B-	0	M-	0	0	WHITLOW GRASS, EARLY (321; <i>DRABA VERNA</i> ) —Wildfl-4; white
B-	0	M-	0	0	WISTERIA, CHINESE (NOT IN FGIW; <i>WISTERIA SINENSIS</i> ) —Wildfl-2 (bilabiate); purple —Added 2010 by Cathy Meyer, from road trip
B-	0	M-	0	0	WISTERIA, JAPANESE (NOT IN FGIW; <i>WISTERIA FLORIBUNDA</i> ) —Wildfl-2 (bilabiate); white and purple —Added 2016 by Kay Yatskievych, from SR446 roadside {also a state record}
B-	0	M-	0	0	<b>Yarrow, Common (1262; <i>Achillea millefolium</i>)</b> —Wildfl-1ray (5); white, pink
					<b><u>TOTALS: WILDFLOWERS this year</u></b>
206		186		228	<b><u>TOTALS: WILDFLOWERS on list:</u></b> <b>228 species (153 native, 75 introduced)</b>

### TREES AND SHRUBS

B-	0	-	0	0	APPLE, COMMON ( <i>MALUS PUMILA</i> ) —Added 2018 by David Mow, from Brown Co State Park
B-	0	-	0	0	<b>Arrowwood, Downy (<i>Viburnum rafinesquianum</i>)</b> —Added 2011 by Ralph Unversal, from Jackson Creek, Yellowwood S. F.
B-	0	M-	0	0	<b>Ash, White (<i>Fraxinus americana</i>)</b>

B-	0	-	0	0	<b>Aspen, Large-toothed (<i>Populus grandidentata</i>)</b> —Added 2011 by Ralph Unversal, from Jackson Creek, Yellowwood S. F.
B-	0	-	0	0	<b>BARBERRY, JAPANESE (<i>Berberis thunbergii</i>)</b>
B-	0	M-	0	0	<b>Beech, American (<i>Fagus grandifolia</i>)</b>
B-	0	M-	0	0	<b>Beech, Blue (<i>Carpinus caroliniana</i> subsp. <i>virginiana</i>)</b> —Added 2010 by Cathy Meyer, from Lake Monroe Boat Trip
B-	0	M-	0	0	<b>Birch, River (<i>Betula nigra</i>)</b> —Added 2011 by Rex Watters, from Lake Monroe Boat Trip
B-	0	M-	0	0	<b>Blackberry, Common (<i>Rubus allegheniensis</i> var. <i>allegheniensis</i>)</b> —Added 2012 by: (1) Jill Vance, Hike #2, Lucas Ridge; (2) Kirk Larson, from Waldrip Cabin Hike and Wild Hyacinth Hike
B-	0	M-	0	0	<b>Bladdernut, American (<i>Staphylea trifolia</i>)</b>
B-	0	M-	0	0	<b>Blueberry, Late Low (<i>Vaccinium pallidum</i>)</b>
B-	0	M-	0	0	<b>Box Elder (<i>Acer negundo</i> var. <i>negundo</i>, var. <i>texanum</i>)</b>
B-	0	M-	0	0	<b>Buckeye, Ohio (<i>Aesculus glabra</i> var. <i>glabra</i>)</b>
B-	0	M-	0	0	<b>BURNING-BUSH, WINGED (<i>Euonymus alatus</i>)</b> —Added 2010 by: (1) Cathy Meyer, from road trip; (2) Ralph Unversal, from Jackson Creek, Yellowwood S. F.
B-	0	M-	0	0	<b>Cherry, Black (<i>Prunus serotina</i> var. <i>serotina</i>)</b>
-	0	M-	0	0	<b>Cottonwood (<i>Populus deltoides</i> subsp. <i>deltoides</i>)</b> —Added 2014 by Cathy Meyer, from road trip
B-	0	-	0	0	<b>CRANBERRY, EUROPEAN HIGH-BUSH (<i>Viburnum opulus</i> var. <i>opulus</i>)</b> —Added 2017 by Don Glass, Gillian Harris, and Mark Sheehan, Hike # 2, Kent Farm
B-	0	-	0	0	<b>Cypress, Bald (<i>Taxodium distichum</i> var. <i>distichum</i>)</b> —Added 2010 by Ralph Unversal, from Jackson Creek, Yellowwood S. F.
B-	0	M-	0	0	<b>Deerberry (<i>Vaccinium stamineum</i>)</b>
B-	0	-	0	0	<b>Dogwood, Alternate-leaved (<i>Cornus alternifolia</i>)</b> —Added 2011 by Ralph Unversal, from Jackson Creek, Yellowwood S. F.
B-	0	M-	0	0	<b>Dogwood, Flowering (<i>Cornus florida</i>)</b>
B-	0	M-	0	0	<b>Gooseberry, Prickly Wild (<i>Ribes cynosbati</i>)</b>
B-	0	M-	0	0	<b>Haw, Smooth Black (<i>Viburnum prunifolium</i>)</b>
B-	0	-	0	0	<b>Hawthorne, Downy (<i>Crataegus mollis</i> var. <i>mollis</i>)</b> — Added 2015 by David Mow, from Brown County State Park, Trail 3
B-	0	M-	0	0	<b>Hickory, Pignut (<i>Carya glabra</i>)</b> —Added 2017 by (1) Gary Morrison, Hike #11, Selma Steele N.P.; (2) Tom Swinford, Hike #22, Sweedy Hollow

B-	0	-	0	0	<b>Hickory, Shagbark (<i>Carya ovata</i> var. <i>ovata</i>)</b> —Added 2010 by Cathy Meyer, from Lake Monroe Boat Trip
B-	0	-	0	0	<b>Hickory, Shellbark (<i>Carya laciniosa</i>)</b>
B-	0	M-	0	0	HONEYSUCKLE, AMUR ( <i>LONICERA MAACKII</i> )
B-	0	-	0	0	HONEYSUCKLE, EUROPEAN FLY ( <i>LONICERA XYLOSTEUM</i> )
B-	0	-	0	0	HONEYSUCKLE, MORROW'S ( <i>LONICERA MORROWII</i> ) —Added 2015 by Jill Vance and Kay Yatskievych, from Brown County State Park, Trail 3
B-	0	-	0	0	HONEYSUCKLE, SHOWY FLY ( <i>LONICERA xBELLA</i> ) —Added 2016 by David Mow and Kay Yatskievych, from Brown County State Park, near horse barn
-	0	M-	0	0	<b>Hornbeam, Eastern Hop (<i>Ostrya virginiana</i>)</b> —Added 2018 by Cathy Meyer, from Cascades Park
B-	0	-	0	0	<b>Huckleberry, Black (<i>Gaylussacia baccata</i>)</b>
B-	0	-	0	0	JETBEAD ( <i>RHODOTYPOS SCANDENS</i> ) —Added 2010 by Kay Yatskievych, from T. C. Steele SHS
B-	0	-	0	0	<b>Leatherwood, Eastern (<i>Dirca palustris</i>)</b>
B-	0	M-	0	0	<b>Locust, Black (<i>Robinia pseudoacacia</i>)</b> —Added 2010, by (1) Kay Yatskievych and Marc Evans; (2) Michael W. Everidge, from Belmont Girl Scout Camp
B-	0	M-	0	0	LOCUST, BRISTLY ( <i>ROBINIA HISPIDA</i> VAR. <i>FERTILIS</i> , VAR. <i>HISPIDA</i> )
B-	0	M-	0	0	<b>Maple, Sugar (<i>Acer saccharum</i> subsp. <i>nigrum</i>, subsp. <i>saccharum</i>, subsp. <i>schneckii</i>)</b>
B-	0	M-	0	0	<b>Nannyberry (<i>Viburnum lentago</i>)</b>
B-	0	M-	0	0	<b>Oak, Black (<i>Quercus velutina</i>)</b> —Added 2010 by Ralph Universal, from Jackson Creek, Yellowwood S. F.
B-	0	M-	0	0	<b>Oak, Chestnut (<i>Quercus montana</i>)</b>
B-	0	M-	0	0	<b>Oak, Northern Red (<i>Quercus rubra</i>)</b>
-	0	M-	0	0	<b>Oak, Pin (<i>Quercus palustris</i>)</b>
B-	0	-	0	0	<b>Oak, Scarlet (<i>Quercus coccinea</i>)</b> —Added 2016 by Jill Vance, from Middlefork Valley, Brown Co.
B-	0	M-	0	0	<b>Oak, White (<i>Quercus alba</i>)</b>
B-	0	M-	0	0	OLIVE, AUTUMN ( <i>ELAEAGNUS UMBELLATA</i> )
-	0	M-	0	0	<b>Osage Orange (<i>Maclura pomifera</i>)</b> —Added 2014 by Cathy Meyer and Teena Ligman, from Pate Hollow Trail
B-	0	M-	0	0	<b>Pawpaw (<i>Asimina triloba</i>)</b>
-	0	M-	0	0	PEACH ( <i>PRUNUS PERSICA</i> ) —Added 2018 by Steve Dunbar, from roadside SR37 just N of Burma crossover
B-	0	M-	0	0	PEAR, CALLERY ( <i>PYRUS CALLERYANA</i> ) —Added 2014 by: (1) Kay Yatskievych, from SR 46 3 mi E of Belmont; (2) Cathy Meyer, road trip
B-	0	M-	0	0	<b>Pine, Eastern White (<i>Pinus strobus</i>)</b>

B-	0	-	0	0	PINE, RED ( <i>PINUS RESINOSA</i> ) —Added 2017 by Andrew Reuter, Hike #10, Yellowwood S. F.
-	0	M-	0	0	PINE, SHORT-LEAVED ( <i>PINUS ECHINATA</i> ) —Added 2017 by Teena Ligman and Cheryl Coon, Hike #5, Deam Wilderness
B-	0	-	0	0	<b>Pine, Virginia (<i>Pinus virginiana</i>)</b> —Added 2010 by Ralph Unversal, from Jackson Creek, Yellowwood S. F.
B-	0	M-	0	0	<b>Plum, American (<i>Prunus americana</i>)</b>
B-	0	-	0	0	QUINCE, COMMON FLOWERING ( <i>CHAENOMELES SPECIOSA</i> ) —Added 2018 by David Mow from Brown Co State Park
-	0	M-	0	0	<b>Raspberry, Black (<i>Rubus occidentalis</i>)</b> —Added 2017 by Tom Swinford, Hike #22, Sweedy Hollow
B-	0	M-	0	0	<b>Redbud, Eastern (<i>Cercis canadensis</i> var. <i>canadensis</i>)</b>
-	0	M-	0	0	<b>Red Cedar, Eastern (<i>Juniperus virginiana</i> var. <i>virginiana</i>)</b>
B-	0	M-	0	0	ROSE, MULTIFLORA ( <i>ROSA MULTIFLORA</i> )
B-	0	M-	0	0	<b>Sassafras (<i>Sassafras albidum</i>)</b>
B-	0	M-	0	0	<b>Serviceberry, Downy (<i>Amelanchier arborea</i>)</b>
B-	0	M-	0	0	<b>Spicebush, Northern (<i>Lindera benzoin</i>)</b>
B-	0	M-	0	0	<b>Sweet Gum (<i>Liquidambar styraciflua</i>)</b> —Added 2010 by Ralph Unversal from Jackson Creek, Yellowwood S. F.
B-	0	M-	0	0	<b>Tuliptree (<i>Liriodendron tulipifera</i>)</b> —Added 2011 by Ralph Unversal, from Jackson Creek, Yellowwood S. F.
B-	0	M-	0	0	<b>Viburnum, Maple-leaved (<i>Viburnum acerifolium</i>)</b>
B-	0	M-	0	0	<b>Yellowwood (<i>Cladrastus kentuckea</i>)</b> —Added 2012
					<b><u>TOTALS: TREES AND SHRUBS this year</u></b>
59		47		67	<b><u>TOTALS: TREES AND SHRUBS on list:</u></b> <b>67 species (50 native, 17 introduced)</b>

### GRASSES AND SEDGES

B-	0	-	0	0	<b>Grass, Bosc's Panic (<i>Dichanthelium boscii</i>)</b> —Added 2012 by Cathy Meyer, Hike #1, from Selma Steele N. P., {as Deer's-tongue, <i>Panicum boscii</i> },
B-	0	M-	0	0	GRASS, KENTUCKY BLUE ( <i>POA PRATENSIS</i> SUBSP. <i>PRATENSIS</i> ) —Added 2013 by Eric Knox, from Griffy Lake
B-	0	M-	0	0	<b>Sedge, Beech Wood (<i>Carex laxiflora</i>)</b>
B-	0	M-	0	0	<b>Sedge, Blunt-scaled Oak (<i>Carex albicans</i> var. <i>albicans</i>, var. <i>emmonsii</i>)</b>
B-	0	M-	0	0	<b>Sedge, Blunt-scaled Wood (<i>Carex albursina</i>)</b>
B-	0	-	0	0	<b>Sedge, Carey's Wood (<i>Carex careyana</i>)</b>
B-	0	M-	0	0	<b>Sedge, Common Beech (<i>Carex communis</i> var. <i>communis</i>)</b>
B-	0	M-	0	0	<b>Sedge, Common Wood (<i>Carex blanda</i>)</b>
-	0	M-	0	0	<b>Sedge, Hairy Gray (<i>Carex hitchcockiana</i>)</b>



B-	0	M-	0	0	Sedge, James's ( <i>Carex jamesii</i> )
B-	0	M-	0	0	Sedge, Painted ( <i>Carex picta</i> )
B-	0	-	0	0	Sedge, Plantain-leaved ( <i>Carex plantaginea</i> )
-	0	M-	0	0	Sedge, Straight-styled Wood ( <i>Carex radiata</i> )
					<b><u>TOTALS: GRASSES AND SEDGES this year</u></b>
11		10		13	<b><u>TOTALS: GRASSES AND SEDGES on list:</u></b> 13 species (12 native, 1 introduced)

### NONFLOWERING PLANTS

B-	0	M-	0	0	Adder's-tongue, Limestone ( <i>Ophioglossum engelmannii</i> )
B-	0	M-	0	0	Adder's-tongue, Southern ( <i>Ophioglossum vulgatum</i> )
B-	0	M-	0	0	Beech Fern, Broad ( <i>Phegopteris hexagonoptera</i> )
B-	0	-	0	0	Bracken Fern, Northern ( <i>Pteridium aquilinum</i> var. <i>latiusculum</i> ) —Added 2017 by Andrew Reuter, Hike #10, Yellowwood S. F. —Note: there is a second variety known from Indiana (var. <i>pseudocaudatum</i> ) but it is listed as Extirpated
B-	0	M-	0	0	Christmas Fern ( <i>Polystichum acrostichoides</i> )
B-	0	-	0	0	Cinnamon Fern ( <i>Osmundastrum cinnamomum</i> ) —Added 2017 by: (1) Don Glass, Gillian Harris, and Mark Sheehan, Hike #2, Kent Farm; (2) Gary Morrison, Hike #11, Selma Steele N. P.; (3) Dan Shaver, Hike #24, Yellowwood
-	0	M-	0	0	Cliff Brake, Purple ( <i>Pellaea atropurpurea</i> )
B-	0	M-	0	0	Fragile Fern, Woodland ( <i>Cystopteris protrusa</i> )
B-	0	-	0	0	Goldie's Fern ( <i>Dryopteris goldiana</i> )
B-	0	M-	0	0	Grape Fern, Cut-leaved ( <i>Sceptridium dissectum</i> )
B-	0	M-	0	0	Ground Pine, Trailing ( <i>Diphasiastrum digitatum</i> )
B-	0	M-	0	0	Horsetail, Field ( <i>Equisetum arvense</i> subsp. <i>arvense</i> )
B-	0	M-	0	0	Interrupted Fern ( <i>Osmunda claytoniana</i> )
B-	0	M-	0	0	Lady Fern ( <i>Athyrium filix-femina</i> var. <i>angustum</i> , var. <i>asplenioides</i> )
B-	0	M-	0	0	Maidenhair Fern, Northern ( <i>Adiantum pedatum</i> )
B-	0	M-	0	0	New York Fern ( <i>Thelypteris noveboracensis</i> )
B-	0	M-	0	0	Rattlesnake Fern ( <i>Botrypus virginianus</i> )
B-	0	M-	0	0	Royal Fern ( <i>Osmunda regalis</i> var. <i>spectabilis</i> )
B-	0	M-	0	0	Sensitive Fern ( <i>Onoclea sensibilis</i> )
B-	0	M-	0	0	Spleenwort, Ebony ( <i>Asplenium platyneuron</i> )
B-	0	M-	0	0	Spleenwort, Narrow-leaved ( <i>Homalosorus pycnocarpos</i> ; <i>Diplazium pycnoarpon</i> )
B-	0	M-	0	0	Spleenwort, Silvery ( <i>Deparia acrostichoides</i> )

-	0	M-	0	0	Walking Fern ( <i>Asplenium rhizophyllum</i> )
B-	0	M-	0	0	Wood Fern, Evergreen ( <i>Dryopteris intermedia</i> ) —Added 2015 by Cathy Meyer, from Hayes Trail
					<b>TOTALS: NONFLOWERING PLANTS this year</b>
22		21		24	<b>TOTALS: NONFLOWERING PLANTS on list: 24 species (24 native, 0 introduced)</b>

**TOTALS: ALL SPECIES ON LIST AT END OF 2018**

B-	206	M-	186	228	<b>TOTALS: WILDFLOWERS</b> 228 species (153 native, 75 introduced)
B-	59	M-	47	67	<b>TOTALS: TREES AND SHRUBS</b> 67 species (50 native, 17 introduced)
B-	11	M-	10	13	<b>TOTALS: GRASSES AND SEDGES</b> 13 species (12 native, 1 introduced)
B-	22	M-	21	24	<b>TOTALS: NONFLOWERING PLANTS</b> 24 species (24 native, 0 introduced)
B-	298	M-	267	332	<b>TOTALS: ALL PLANTS</b> 332 species (239 native, 93 introduced; 28% introduced)

**TAXA ADDED FOR 2019 COUNT**

Please add below any new records that you find. If found on Friday or Saturday, let Kay Yatskievych or Andrea deTarnowskly know before the Saturday night get-together. If found Sunday, please send or email copy of this to Kay Yatskievych as soon as possible so the new records can be added to next year's list. Kay Yatskievych, 11625 Loweswater Lane, Austin, TX 78754 —Email: Kay.Yatskievych@mobot.org

Found by \_\_\_\_\_ Day \_\_\_\_\_ Location \_\_\_\_\_

B-	0	M-	0		
B-	0	M-	0	0	
B-	0	M-	0	0	
B-	0	M-	0	0	
B-	0	M-	0	0	
B-	0	M-	0	0	